



#### SCL03J000367001 **Report No.**

Page 1 of 4

### ZHONGSHAN FUZHOU ADHESIVE-PRODUCT CO.,LTD Applicant Address TORCH HIGH-TECH DEVELOPMENT ZONE, ZHONGSHAN CITY, GUANGDONGPROVINCE CHINA

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client

| Sample Name          | 特光纸/cast coated paper                             |
|----------------------|---|
| Client Reference     | MCL-AR/MCL-A/MCL-AD/MCL-AM/MCL-B/MCL-BM/MCL-230g/ |
| Information          | MCL-160g/MCL(FSC)                                 |
| Sample Received Date | Jan. 19, 2017                                     |
| Testing Period       | Jan. 19, 2017 to Jan. 22, 2017                    |

**Test Requested** 

As specified by client, to test Phthalates in the submitted sample(s).

## **Test Method**

| Test           | Item(s) |  | Test Method               | Measured<br>Equipment(s) |
|----------------|---------|--|---------------------------|--------------------------|
| Pht            | halates | ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~ | Refer to EN 14372:2004(E) | GC-MS                    |
| Test Result(s) | Please  | refer to t                             | he following page(s).     |                          |







CANALIG

ao C

Pi

hong Wa


ghong Wan echnical Manager



Date









No. R131024108 Centre Testing International Group Co., Ltd. Shunde Branch

Report Seal ongving building, Section 2, No.8, East of Rongqi Avenue, Ronggui, Shunde District, Foshan, Guangdong, China



**Report No.** 



# **Test Report**



Page 2 of 4


| Tested Item(s)   | Result | MDL      |
|--|--------|----------|
| hthalates  |        |          |
| Dimethyl phthalate(DMP)<br>CAS#:131-11-3                 | N.D.   | 50 mg/kg |
| Diethyl phthalate(DEP) CAS#:84-66-2                      | N.D.   | 50 mg/kg |
| Dipropyl phthalate(DPRP)<br>CAS#:131-16-8                | N.D.   | 50 mg/kg |
| Diisobutyl phthalate(DIBP)<br>CAS#:84-69-5               | N.D.   | 50 mg/kg |
| Dibutyl phthalate(DBP) CAS#:84-74-2                      | N.D.   | 50 mg/kg |
| Di-n-Pentyl Phthalate (DPP)<br>CAS#:131-18-0             | N.D.   | 50 mg/kg |
| Diheptyl phthalate(DHP)<br>CAS#:3648-21-3                | N.D.   | 50 mg/kg |
| utylbenzyl phthalate(BBP)<br>AS#:85-68-7                 | N.D.   | 50 mg/kg |
| Dicyclohexyl phthalate(DCHP)<br>CAS#:84-61-7             | N.D.   | 50 mg/kg |
| Di-2-ethylhexyl phthalate(DEHP)<br>CAS#:117-81-7         | N.D.   | 50 mg/kg |
| Diisooctyl phthalate(DIOP)<br>CAS#:27554-26-3            | N.D.   | 50 mg/kg |
| Di-n-octyl phthalate(DNOP)<br>CAS#:117-84-0              | N.D.   | 50 mg/kg |
| Diisononyl phthalate(DINP)<br>CAS#:28553-12-0,68515-48-0 | N.D.   | 50 mg/kg |
| Diisodecyl phthalate(DIDP)<br>CAS#:26761-40-0,68515-49-1 | N.D.   | 50 mg/kg |
| Dinonyl phthalate(DNP) CAS#:84-76-4                      | N.D.   | 50 mg/kg |
| Diisononyl adipate(DINA)<br>CAS#:33703-08-1              | N.D.   | 50 mg/kg |
| Di-n-hexyl phthalate (DNHP)<br>CAS#:84-75-3              | N.D.   | 50 mg/kg |

### Tested Sample/Part Description

White paper

Remark:

-MDL = Method Detection Limit -N.D. = Not Detected (<MDL) -mg/kg = ppm = parts per million



Hotline: 400-6788-333 www.cti-cert.com E-mail: info@cti-cert.com Complaint call: 0755-33681700 Complaint E-mail: complaint@cti-cert.com

## 华测 **Test Report** SCL03J000367001 Page 4 of 4 **Report No.** Photo(s) of the sample(s) 中山富洲膠粘製品有限公司 特光纸 逸伯路32號TEL(0760)23898888 0 单位:cm 11 12 13 14 15 1 9 0 2 8 3 5 7 CTI 10 SCL03J000367001 \*\*\* End of report \*\*\* The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.