

### **Test Report**

### Report No. SCL03J000368008

Page 1 of 3

**CONCLUSION** 

PASS

PASS

ApplicantZHONGSHAN FUZHOU ADHESIVE-PRODUCT CO.,LTDAddressTORCH HIGH-TECH DEVELOPMENT ZONE,ZHONGSHAN<br/>CITY,GUANGDONGPROVINCE CHINA

The following sample(s) and sample information was/were submitted and identified by/on the behalf of the client

Sample Name Client Reference Information Sample Received Date Testing Period 牛皮纸Kraft paper KL/KL-80g/KL-125g

Jan. 19, 2017 Jan. 19, 2017 to Jan. 23, 2017

### TEST REQUEST

ASTM F963-16 Standard Consumer Safety Specification for Toy Safety
Clause 4.3.5 Heavy elements – Total Lead content

- Clause 4.3.5 Heavy elements – Migration of certain elements

Huanping Huang	Reviewed by	Wenjun	wong
Qinghong Wan	Date	Jan. 26, 2	2017
Technical Manager		No. R	131024361
	l Group Co.,Ltd. Shunde Branch Avenue, Ronggui, Shunde District	. Foshan, Guangdo	ong. China

# **Test Report**

SCL03J000368008 Report No.

#### ▼ <u>Heavy elements test - Total Lead content</u>

As specified in ASTM F963-16 standard consumer safety specification for toy safety clause 4.3.5, acid digestion methods specified in clause 8.3 were used and total Lead content was determined by ICP-OES/AAS. Toy substrate materials:

Tested Item	<u>Result</u> (mg/kg)		<u>MDL</u> (mg/kg)	Limit (mg/kg)
Total Lead (Pb)	N.D.	(2)	5	100

### ▼ <u>Heavy elements test - Migration of certain elements</u>

As specified in ASTM F963-16 standard consumer safety specification for toy safety clause 4.3.5, acid extraction methods specified in clause 8.3 were used and toxic elements content were determined by ICP-OES/AAS.

Tested Item		<u>Result</u> (mg/kg)		<u>MDL</u> (mg/kg)	Limit (mg/kg)
Soluble Antimony (Sb)		N.D.	6	5	60
Soluble Arsenic (As)		N.D.		2.5	25
Soluble Barium (Ba)		N.D.		5	1000
Soluble Cadmium (Cd)		N.D.		5	75
Soluble Chromium (Cr)		N.D.		2.5	60
Soluble Lead (Pb)		N.D.		5	90
Soluble Mercury (Hg)		N.D.		2.5	60
Soluble Selenium (Se)	$\langle S \rangle$	N.D.	(3)	5	500
	(2)		6		(a))

#### Remark:

- N.D. = Not Detected (< MDL)
- MDL = Method Detection Limit
- mg/kg = parts per million = ppm
- Results shown of soluble elements are of adjusted analytical results by subtracting analytical correction factor
- Filter paper was used instead of 0.45µm membrane filter in lab testing.

#### **Tested Sample/Part Description** Brown paper



Page 2 of 3









## **Test Report**



华测



### Photo(s) of the sample(s)



\*\*\* End of report \*\*\*

The test report is effective only with both signature and specialized stamp. The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.

